# MATERIAL SAFETY DATA SHEET

# 1. SUBSTANCE AND SOURCE IDENTIFICATION

National Institute of Standards and Technology

**Standard Reference Materials Program** 100 Bureau Drive, Stop 2320

Gaithersburg, Maryland 20899-2320

SRM Number: 2890 MSDS Number: 2890

**SRM Name: Water Saturated 1-Octanol** 

Date of Issue: 04 February 2005

MSDS Coordinator: Mario Cellarosi

**Telephone: 301-975-6776** FAX: 301-926-4751

E-mail: SRMMSDS@nist.gov

**Emergency Telephone ChemTrec:** 1-800-424-9300 (North America) +1-703-527-3887 (International)

Standard Reference Material (SRM) 2890 is a solution of water saturated **Description:** 

1-octanol which is certified for its water content. A unit of SRM 2890 consists of five 5-milliliter ampoules, each containing approximately 2 mL of water

saturated 1-octanol.

1-Octanol **Substance:** 

**1-Octanol** (n-octanol; octyl alcohol; 1-hydroxyoctane; n-octyl alcohol; octanol; Other Designations:

heptyl carbinol)

# 2. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

**Component:** 1-Octanol

**CAS Number:** 111-87-5

**EC Number (EINECS):** 203-917-6

**SRM Nominal** 

**Concentration (mass %):** > 95

> **EC Classification:** Not determined.

#### 3. HAZARDS IDENTIFICATION

NFPA Ratings (Scale 0-4): Health = 0Fire = 2Reactivity = 0

Major Health Hazards: Central nervous system depression.

> **Target Organs:** Central nervous system.

**Physical Hazards:** Combustible liquid and vapor. Vapors are a flash back hazard.

**Potential Health Effects** 

Inhalation: Inhalation (acute exposure) of 1-octanol may be irritating in high concentrations.

Skin contact with 1-octanol may cause irritation. Skin absorption may occur. **Skin Contact:** 

Repeated or prolonged exposure may cause dry skin and dermatitis due to

defatting of the skin.

**Eye Contact:** Eye contact with 1-octanol may cause irritation.

**Ingestion:** Ingestion of 1-octanol may cause gastrointestinal effects and central nervous

system depression. Symptoms of intoxication and aspiration may also occur.

Listed as a Carcinogen/

**Potential Carcinogen:** Yes No

> X In the National Toxicology Program (NTP) Report on Carcinogens. In the International Agency for Research on Cancer (IARC) Monographs.

By the Occupational Safety and Health Administration (OSHA).

MSDS 2890 Page 1 of 4 4. FIRST AID MEASURES

**Inhalation:** If inhaled, move the victim to fresh air. If breathing is difficult, give oxygen; if

the victim is not breathing, give artificial respiration by qualified personnel.

Obtain medical assistance if necessary.

Skin Contact: Remove contaminated shoes and clothing. Rinse affected area with large

amounts of water followed by washing the area with soap and water. Obtain

medical assistance if necessary.

Eye Contact: Immediately flush eyes, including under the eyelids, with copious amounts of

water for at least 15 minutes. Obtain immediate medical assistance.

**Ingestion:** If vomiting occurs, keep head lower than hips. If person is unconscious, turn

head to side. Obtain immediate medial attention.

## 5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: 1-Octanol is a moderate fire hazard. Vapors are heavier than air and may travel

a considerable distance to a source of ignition and flash back.

**Extinguishing Media:** Use alcohol-resistant foam, dry chemical, carbon dioxide, or water spray.

Fire Fighting: Move container from fire area if it can be done without risk. DO NOT use

high-pressure water streams which could scatter spilled material. Use water spray to cool containers until well after the fire is out and to discharge vapors. Wear full protective clothing and NIOSH-approved self-contained breathing

apparatus (SCBA).

Flash Point (°C): 81 (178 °F) Method Used: Closed cup.

**Autoignition Temp. (°C):** Not available.

Flammability Class (OSHA): IIIA

Flammability Limits in Air

**UPPER (Volume %):** Not available. **LOWER (Volume %):** Not available.

### 6. ACCIDENTAL RELEASE MEASURES

Occupational Release: Avoid heat, flames, sparks, and other sources of ignition. Reduce vapors with

water spray. Collect small spilled material after absorbing with sand or other non-combustible material in an appropriate container for disposal. For large

spills, stop leak if possible without personal risk.

**Disposal:** Refer to Section 13, "Disposal Considerations".

#### 7. HANDLING AND STORAGE

**Storage:** Store and handle in accordance with all current regulations and standards. Keep

separated from incompatible substances. Subject to storage regulations U.S. OSHA 29 CRF 1910.106. Refer to SRM 2890 Certificate of Analysis for

storage of SRM 2890.

**Safe Handling Precautions:** See Section 8, "Exposure Controls and Personal Protection".

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

**Exposure Limits:** No occupational exposure limits established for **1-Octanol**.

**Ventilation:** Use local exhaust ventilation system. Ensure compliance with applicable

exposure limits.

**Respirator:** Under frequent use of heavy exposure, respiratory protection may be needed.

Refer to the "NIOSH Guide to the Selection and Use of Particulate Respirators Certified under 42 CFR 84" for selection and use of respirators certified by

NIOSH.

MSDS 2890 Page 2 of 4

Eye Protection: Wear safety goggles. DO NOT wear contact lenses in the laboratory. An eye

wash station should be readily available near areas of use.

**Personal Protection:** Wear appropriate protective clothing and chemically resistant gloves to prevent

skin exposure.

9.	PHYSICAL AND	CHEMICAL	<b>PROPERTIES</b>
∕•	I III SICAL AND	CHEMICAL	INVIENTE

**Component:** 1-Octanol

**Appearance and Odor:** Clear liquid. Colorless. Pungent odor.

**Relative Molecular Weight:** 130.23 g/mol

**Molecular Formula:** CH<sub>3</sub>(CH<sub>2</sub>)<sub>7</sub>OH

**Boiling Point:** 194  $^{\circ}$ C (381  $^{\circ}$ F)

**Freezing Point:**  $-17 \, ^{\circ}\text{C} \, (1 \, ^{\circ}\text{F})$ 

Volatility: Not available.

Density: 0.8270 g/cm<sup>3</sup>

Water Solubility: 0.06 % @ 25 °C

**Solvent Solubility:** Soluble in ether, alcohol, chloroform, mineral oils, petroleum ether, propylene

glycols. Insoluble in glycerol.

**Odor Threshold:** Not available.

#### 10. STABILITY AND REACTIVITY

Stability: X Stable Unstable

Stable at normal temperatures and pressure.

**Conditions to Avoid:** Avoid heat, flames, sparks, and other sources of ignition.

**Incompatible Materials:** Acids, oxidizing materials, combustible materials, metal salts.

**Fire/Explosion Information:** See Section 5, "Fire Fighting Measures".

**Hazardous Decomposition:** Oxides of carbon.

Hazardous Polymerization: Will Occur X Will Not Occur

# 11. TOXICOLOGICAL INFORMATION

Route of Entry: X Inhalation X Skin X Ingestion

**Toxicity Data:** Rat, Oral LD<sub>50</sub>: > 3200 mg/kg

Rat, Inhalation LC<sub>LO</sub>: 5600 mg/m<sup>3</sup>/4 h

**Health Effects** 

(Acute and Chronic): See Section 3: "Hazards Identification" for potential health effects.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity Data** 

Fish Toxicity: Fathead minnow (Pimephales promelas) LC<sub>50</sub> (mortality): 13 000 μg/L (96 h)

**Invertebrate Toxicity:** Water flea (Daphnia magna) EC<sub>100</sub> (abundance): 71 mg/L (24 h)

Algal Toxicity: Blue-green algae (Anacystis aeruginosa) (population growth): 1900 µg/L (8 h)

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal:** Dispose in accordance with all applicable federal, state, and local regulations.

MSDS 2890 Page 3 of 4

### 14. TRANSPORTATION INFORMATION

**U.S. DOTand IATA:** This material is non-hazardous for shipping purposes. IATA does NOT regulate

combustible liquids with a flash point above 60.5 °C, and DOT only regulates combustible liquids in bulk packages, 49 CFR 173.150 (containers with a

capacity > 450 L (119 gal).

Canadian Transportation of

**Dangerous Goods:** No classification assigned.

**Land Transport** 

**ADR and RID:** No classification assigned.

**Maritime Transport:** No classification assigned.

# 15. REGULATORY INFORMATION

**U.S. Regulations:** CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SUDDEN RELEASE:

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

No.

ACUTE: Yes. CHRONIC: No.

FIRE: Yes. REACTIVE: No.

**State Regulations:** California Proposition 65: Not regulated.

**CANADIAN Regulations** 

WHMIS Classification: Not determined.

**EUROPEAN Regulations** 

EC Classification (assigned): Not determined.

**National Inventory Status** 

**U.S. Inventory (TSCA):** Listed on inventory.

**TSCA 12(b)** 

**Export Notification:** Not listed.

## 16. OTHER INFORMATION

Sources: MDL Information Systems, Inc., MSDS N-Octyl Alcohol, 15 December 2003.

**Disclaimer:** Physical and chemical data contained in this MSDS are provided only for use as a guide in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data in the MSDS. The certified values for this material are given in the NIST Certificate of Analysis.

MSDS 2890 Page 4 of 4